

What you should know about:

Hepatitis A

A highly contagious liver disease caused by a virus spread from person to person. The illness can last for weeks to months.


How is it Spread?



Forgetting to wash your hands after using the bathroom or changing diapers



Having sexual contact with infected partner(s)



Eating or drinking foods contaminated by Hepatitis A




Sharing syringes and drug use equipment

What are the symptoms?



Nausea, Vomiting, Diarrhea



Fever



Yellowing of the eyes and skin

Other symptoms include:

- Dark Urine
- Light-colored stools
- Joint pain
- Feeling tired
- Loss of appetite
- Stomach pain

For full protection, two doses of the hepatitis A vaccine are needed.

Anyone can get hepatitis A, but you are at higher risk if you:

- Travel or work in countries where hepatitis A is common
- Live with someone who has hepatitis A
- Use any type of recreational drugs, not just those that are injected
- Are a man who has sexual contact with other men
- Are experiencing homelessness

This vaccine spotlight is supported by the Centers for Disease Control and Prevention (CDC) of the U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling \$19,000 by CDC/HHS. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by CDC/HHS, or the U.S. Government.



Lo que debe saber sobre:

Hepatitis A

Enfermedad del hígado muy contagiosa causada por un virus que se transmite de persona a persona. La enfermedad puede durar de semanas a meses.


¿Cómo se Contagia?




No lavarse las manos después de ir al baño o cambiar pañales



Tener contacto sexual con pareja(s) infectada(s)



Comer o beber alimentos contaminados por la hepatitis A




Compartir jeringuillas y material de consumo de drogas


¿Cuáles son los Síntomas?



Náuseas, vómitos, diarrea



fiebre



Coloración amarillenta de los ojos y la piel

Otros síntomas incluyen:

- Orina Oscura
- Heces de color claro
- Dolor en las Articulaciones
- Sensación de cansancio
- Pérdida de apetito
- Dolor de estómago

For full protection, two doses of hepatitis A vaccine are needed.

Cualquiera puede contraer la hepatitis A, pero el riesgo es mayor si:

- Viajar o trabajar en países donde la hepatitis A es común
- Vivir con alguien que tenga hepatitis A
- Consumir cualquier tipo de drogas recreativas, no sólo las inyectables.
- Es un hombre que mantiene relaciones sexuales con otros hombres.
- No tiene hogar

This Vaccine Spotlight is supported by the Centers for Disease Control and Prevention (CDC) of the U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling \$19,000 from CDC/HHS. The contents are the responsibility of the authors and do not necessarily represent the official views or endorsement of CDC/HHS or the U.S. Government.

